

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

GOTTA-2000(2:1)CBD/CBG-S-D(FS)-022125-0785-UNFL (TINCTURE) // PRODUCED: FEB 28, 2025

CLIENT: CASCO BAY HEMP // BATCH: PASS



BATCH NO.: 0785 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.9258 g/ml ²
SAMPLE ID: NAL-250226-053
COLLECTED ON: FEB 26, 2025
RECEIVED ON: FEB 26, 2025
SAMPLE SIZE: 1 ML ¹
SAMPLED BY: DOMINIC BENFATTA
RECEIVED BY: ZOE COLWELL

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

CBD:	7.38 %
CBG:	3.63 %
TOTAL CANNABINOIDS:	11.3 %

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: FEB 27, 2025 // ANALYSIS: FEB 27, 2025

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.107 %	0.991 mg/ml		0.250/0.500	N/A	CBNA		ND	ND	0.250/0.500	N/A
CBCA	ND	ND		0.250/0.500	N/A	Δ ⁸ -THC		ND	ND	0.500/0.500	N/A
CBD	7.38 %	68.3 mg/ml		0.250/0.500	N/A	Δ ⁸ -THCA		ND	ND	0.500/0.500	N/A
CBDA	ND	ND		0.250/0.500	N/A	Δ ⁹ -THC	0.0611 %	0.566 mg/ml		0.250/0.500	N/A
CBDV	0.0785 %	0.727 mg/ml		0.250/0.500	N/A	Δ ¹⁰ -THC		ND	ND	0.250/0.500	N/A
CBDVA	ND	ND		0.250/0.500	N/A	EXO-THC		ND	ND	0.500/0.500	N/A
CBG	3.63 %	33.6 mg/ml		0.250/0.500	N/A	THCA		ND	ND	0.500/0.500	N/A
CBGA	ND	ND		0.250/0.500	N/A	THCV		ND	ND	0.250/0.500	N/A
CBL	ND	ND		0.500/0.500	N/A	THCVA		ND	ND	0.250/0.500	N/A
CBLA	ND	ND		0.250/0.500	N/A	TOTAL THC**	0.0611 %	0.566 mg/ml			N/A
CBN	< LOQ	< LOQ		0.250/0.500	N/A	TOTAL CBD**	7.38 %	68.3 mg/ml			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 FEB 28, 2025

NOTES

ZACHARY SMITH
 FEB 28, 2025

POTENCY & CANNABINOID PROFILE BY HPLC-UV
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

